

Quantum Scalar i6, Control Module – Tape library

Product information

Shop-Navcode S17911671
 Manufacturer Quantum



Product information	
Part number	S17911671
Manufacturer	Quantum
Main specifications	
Product Description	Quantum Scalar i6, Control Module - tape library - no tape drives
Device Type	Tape library
Bundled with	50 slot licence
Enclosure Type	Rack-mountable - 6U
Total Storage Capacity	600 TB (native) / 1500 TB (compressed)
Removable Media Capacity	100
Max Supported Drives	3
Supported Tape Drives	LTO Ultrium 6, LTO Ultrium 7
Key Features	Encryption
Dimensions (WxDxH)	92.45 cm x 44.1 cm x 26.5 cm
Storage Removable	No tape drives
Power	AC 120/230 V (50/60 Hz)
Power Redundancy	Optional
Manufacturer Warranty	1 year warranty
General	
Device Type	Tape library - no tape drives
Bundled with	50 slot licence
Enclosure Type	Rack-mountable - 6U
Total Storage Capacity	600 TB (native) / 1500 TB (compressed)
Removable Media Capacity	100
Max Supported Drives	3
Supported Tape Drives	LTO Ultrium 6, LTO Ultrium 7
Key Features	Encryption
Built-in Devices	Touch screen keypad
Width	92.45 cm
Depth	44.1 cm
Height	26.5 cm
Storage Removable	
Type	No tape drives
Expansion / Connectivity	
Interfaces	1 x Ethernet 1000Base-T (management) 2 x Ethernet 1 x USB 8Gb Fibre Channel
Miscellaneous	
Rack Mounting Kit	Included
MSBF	2,000,000

bartels bürotechnik GmbH

Königsallee 30
41747 Viersen

Director: Ch. Kutscheidt
 Trade register no: HRB9956
 Purchase tax ID: DE 154027895

Phone: 02162/26619 0
 Fax: 02162/26619 20

Website: bartelsgroup.com
 Shop: <http://bartels-shop.de>

Quantum Scalar i6, Control Module – Tape library

Product information

Shop-Navcode S17911671
Manufacturer Quantum

Compliant Standards	TUV GS, VCCI, EN55024, FCC, KCC, FCC Part 15 A, cTUVus, EAC, EN 55022:2010, IEC60950/EN60950, CNS 13438 Class A, KN32, KN35
Power	
Type	Power supply
Power Redundancy	Optional
Installed Qty	1
Voltage Required	AC 120/230 V (50/60 Hz)
Manufacturer Warranty	
Type	Limited warranty - parts and labour - 1 year - on-site - response time: next business day Technical support - phone consulting - 1 year - availability: 24 hours a day / Monday-Sunday Limited warranty - parts - 1 year - shipment - response time: next business day
Environmental Parameters	
Min Operating Temperature	16 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 80% (non-condensing)

bartels bürotechnik GmbH

Königsallee 30
41747 Viersen

Director: Ch. Kutscheidt
Trade register no: HRB9956
Purchase tax ID: DE 154027895

Phone: 02162/26619 0
Fax: 02162/26619 20

Website: bartelsgroup.com
Shop: <http://bartels-shop.de>

